RESSOURCES BIBLIOGRAPHIQUES POUR COMPRENDRE LE POTENTIEL ET PROMOUVOIR LES ESPECES NEGLIGEES ET SOUS UTILISEES

Jusqu'à présent, la recherche s'est peu concentrée sur les espèces négligées et sous-utilisées au Cameroun, ce qui s'explique par le peu d'attention accordée par la recherche-développement aux aliments traditionnels dans le cadre de la Révolution verte, dont le paradigme s'est concentré sur quelques cultures vivrières et des cultures de rente. De nombreux ouvrages, articles scientifiques, thèses et mémoires, rapports de recherche, manuels pratiques, notes d'orientation, des cadres opérationnels sur les espèces négligées et sous-utilisées, sont réalisés dans d'autres contextes. Ce document est une compilation de ces ressources bibliographiques qui seront utiles aux chercheurs, acteurs institutionnels, agriculteurs et de toute autre personne s'intéressant aux cultures orphelines.

Aderibigbe O. et al. (2022). Exploring the potentials of underutilized grain amaranth (*Amaranthus* spp.) along the value chain for food and nutrition security: a review. *Crit Rev Food Sci Nutr*., 62: 656–669. https://doi.org/10.1080/10408398.2020.18253239 .

Ajayi F.F. et al. (2021). Identification and characterization of cholesterol esterase and lipase inhibitory peptides from amaranth protein hydrolysates. *Food Chem. X*. 12: 100-165.

Akinola R. and al. (2020). A Review of Indigenous Food Crops in Africa and the Implications for more Sustainable and Healthy Food Systems. *Sustainability*, 12: 3493. doi :10.3390/su12083493.

Ali T.I. an al. (2012). Diversification of rice-based cropping systems to improve soil fertility, sustainable productivity and economics. *Journal of Animal and plant science.* 22 (1): 108-112.

Aljuraiban G.S. et al. (2024). The role of diet in the prevention of hypertension and management of blood pressure: An umbrella review of meta-analyses of interventional and observational studies. *Adv. Nutr*. 15, 100-123.

Anitha S. et al. (2022). Can Feeding a Millet-Based Diet Improve the Growth of Children? —A Systematic Review and MetaAnalysis. *Nutrients*, 14 (1). Scopus. https://doi.org/10.3390/ nu14010225.

Antle John Roberto O. et al. (2015). AgMIP's Trans-Disciplinary Approach to Regional Integrated Assessment of Climate Impact, Vulnerability and Adaptation of Agricultural Systems. In *Handbook of Climate Change and Agroecosystems*: The Agricultural Model Intercomparison and Improvement Project (AgMIP). C. Rosenzweig, and D. Hillel, Eds., ICP Series on Climate Change Impacts, Adaptation, and Mitigation Vol. 3. Imperial College Press, doi:10.1142/9781783265640_0002.

Antonelli A. et al. (2024). Developing technology transfer offices to support innovation: A co-design process initiative in Burkina Faso and Niger. Book of Abstracts of the XV International Scientific Agriculture Symposium "AGROSYM 2024", 10 – 13 October 2024, East Sarajevo (Bosnia and Herzegovina). p. 739.

Arora R.K. (2014). Diversity in underutilized plant species – An Asia-Pacifc perspective. Bioversity International, New Delhi, India. 203 P.

Arora R.K. et al. (2006). Underutilized crops. B. S. Dhillon, S. Saxena, A. Agrawal and R. S. Tyagi, eds. In Plant Genetic Resources: Food grain Crops. Narosa Publishing House, New Delhi. pp. 320-342.

Asaha S. et al. (2000). State of knowledge on *Gnetum africanum* Welw and *Gnetum bucholzianum* Engl. A report for the Central African Republic Program for the Environment. Limbe, Cameroon.

Baa-Poku F. (2018). Review on the role of underutilized crops in achieving food security in Ghana: Implications for policy. *Ghana Journal of Agricultural Science.* 52: 113-120.

Bado B.V. et al. (2021). Improving agricultural productivity using agroforestry systems: Performance of millet, cowpea, and Ziziphus-based cropping systems in West Africa Sahel. *Agriculture, Ecosystems & Environment*, 305: 107-175. https://doi.org/10.1016/j.agee.2020.107175.

Baena M. et al. (2012). Improving community livelihoods by recovering and developing their traditional crops. Bioversity International.

Bagwitz D. et al. (2008). Value Links Manual: The Methodology of Value Chain Promotion, A. Springer-Heinze (dir.), *Deutsche Gesellschaft für Technische Zusammenarbeit*, Eschborn (Allemagne), 2008, http://www.valuelinks.org/.

Baldermann S. and al. (2016). Are neglected plants the food for the future? *Crit Rev Plant Sci* 35:106–119. https://doi. org/10.1080/07352689.2016.1201399.

Baldermann S. et al. (2016). Are Neglected Plants the Food for the Future. Critical Reviews in Plant Sciences.

Banda T. et al. (2021). Report of a Pilot Program Using a Milk-Free Ready-to-Use Therapeutic Food Made from Soya, Maize, and Sorghum to Treat Severe Acute Malnutrition. *Food and Nutrition Bulletin*, 42 (1): 91–103. Scopus. https://doi.org/10.1177/0379572120968703.

Beillouin D. et al. (2021). Positive but variable effects of crop diversification on biodiversity and ecosystem services. *Global Change Biology*.

Berger A. et al. (2003). Cholesterol-lowering properties of amaranth flakes, crude and refined oils in hamsters. *Food Chem*. 81: 119–124.

Bermejo J.E.H. & León J. (eds) (1994). *Neglected crops: 1492 from a different perspective. Plant Production and Protectio*n. Series n°. 26. FAO, Rome. ISBN: 9251032173.

Bhag Mal M. et al. (1997). Underutilized crops and their implications in farming systems in India. In Domestication, Production and Utilization of New Crops. J. Smartt and N. Haq eds. ICUC (International Centre for Underutilized Crops), Southampton, UK. pp. 30-45.

Bharucha Z. & J. Pretty. (2010). *The roles and values of wild foods in agricultural systems. Philosophical Transaction of the Royal Society*, London, 365: 2913–2926.

Bhuiya S. et al. (2025). Dietary additives interloping with the epigenetic network and human health: Implications in gut microbiota and endocrine toxicity. *Food Biosci*. 64: 105903.

Bogliotti C. et al. (2021). Voices from the agencies: research for development (R4D) agencies supporting efforts to conserve and promote the sustainable use of NUS. In, Orphan crops for sustainable food and nutrition security; Padulosi S., King E.D. I. O., Hunter D., Swaminathan M.S. (eds.). Routledge – Taylor & Francis Group, London and New York. pp. 365-384. DOI: 10.4324/9781003044802-36.

Borelli T. et al. (2020). Local Solutions for Sustainable Food Systems: The Contribution of Orphan Crops and Wild Edible Species. *Agronomy*, 10: 231-255.

Bori H. et al. (2024). Caractérisation agronomique de six (6) morphotypes de voandzou (*Vigna subterranea* L. verdc) cultivés au Niger. *European Scientific Journal*, 20 (24): 140. https://doi.org/10.19044/esj.2024.v20n24p140.

Bouis H.E. & Saltzman A. (2017). Improving nutrition through Biofortification: A review of evidence from Harvest Plus, 2003 through 2016. *Global Food Security*, 12: 49–58. Scopus. https://doi.org/10.1016/jgfs.2017.01.009.

Burlingame B. et al. (2009). Food composition is fundamental to the cross-cutting initiative on biodiversity for food and nutrition. *Journal of Food Composition and Analysis,* 22: 361–365.

Bvenura C. & Kambizi L. (2022). Future grain crops. In: Future foods. London: *Elsevier*. p. 81–105. https://doi.org/10.1016/B978-0-323-91001-9.00032-3.

Bvenura C. & A.J. Afolayan (2015). The role of wild vegetables in household food security in South Africa: A Review. *Food Research International* 76: 1001–1011. CFF (2019) Crops for the future. http://www.cffre searc h.org/.

Chagomoka T. et al. (2015). Vegetable. production, consumption and its contribution to diets along the urban-rural continuum in Northern Ghana. *African Journal of Food, Agriculture, Nutrition and Development*, 15 (4), Article 4. https://doi.org/10.18697/ajfand.71.15530.

Chanadang S. et al. (2018). Novel Fortified Blended Foods: Preference Testing with Infants and Young Children in Tanzania and Descriptive Sensory Analysis. *Journal of Food Science*, 83 (9): 2343–2350. https://doi.org/10.1111/1750-3841.14287.

Cheng A. (2018). Shaping a sustainable food future by rediscovering long-forgotten ancient grains. *Plant Sci*. 269: 136–42. https://doi.org/10.1016/j.plantsci.2018.01.018.

Chibarabada T.P. et al. (2017). Expounding the value of grain legumes in the semi– and arid tropics. *Sustainability,* 9: 60. doi: 10.3390/su9010060.

Chivenge P. et al. (2015). The Potential Role of Neglected and Underutilised Crop Species as Future Crops under Water Scarce Conditions in Sub-Saharan Africa. *International Journal of Environmental Research and Public Health*. 12 (6): 5685- 5711. https://doi.org/10.3390/ijerph120605685.

Clydesdale F. (2004). Functional foods: opportunities & challenges. *Food Technol*. 58: 35–40.

Considine M.J. et al. (2017). Nature's pulse power: Legumes, food security and climate change. *Journal of Experimental Botany*. 68 (8): 1815-1818. PubMed PMID: 28499041. PMCID: PMC5429020. Epub 2017/05/13.

Conti M.V. et al. (2019). Potential role of neglected and underutilized plant species in improving women's empowerment and nutrition in areas of sub-Saharan Africa. *Nutr Rev.* 77 (11): 817-828. doi: 10.1093/nutrit/nuz038. PMID: 31313806.

Das, D. et al. (2024). Exploring the potential of amaranth proteins: Composition, functional characteristics, modifications, bioactive peptides and possible applications in food and packaging industries. *J. Food Compos. Anal*. 139: 107-146.

Dawson I. & Jaenicke H. (2006). Underutilised plant species: the role of biotechnology. *International Centre for Underutilized Crops*, Position Paper No. 1, Colombo.

Delimont N.M. et al. (2017). The MFFAPP Tanzania Efficacy Study Protocol: Newly Formulated, Extruded, Fortified Blended Foods for Food Aid. *Current Developments in Nutrition*, 1 (5): e000315. https://doi.org/10.3945/cdn.116.000315.

Diao M. et al. (2025). The combined antimicrobial activity of α-lactalbumin and thymol against Escherichia coli and Staphylococcus aureus. *Food Chem*., 473: 143048.

Dias-Martins A.M. et al. (2018). C.W.P. Potential use of pearl millet (Pennisetum glaucum (L.) R. Br.) in Brazil: Food security, processing, health benefits and nutritional products. *Food Res. Int*. 109: 175–186.

Dietmar S. et al. (2018). Fit for purpose? A review of guides for gender-equitable value chain development. *Development in Practice*, 28 (4): 494-509.

Durst P. & N. Bayasgalanbat (2014). « Promotion of underutilized Indigenous Food ressources for food security and nutrition in Asia and the pacific », Bureau régional pour l'Asie et le Pacifique de l'Organisation des Nations Unies pour l'alimentation et l'agriculture (FAO), Bangkok (Thaïlande).

Ebert A.W. (2014). Potential of underutilized traditional vegetables and legume crops to contribute to food and nutritional security, income and more sustainable production systems. *Sustainability*, 6: 319-335.

EcoBusiness (2015). What can nearly 12,000 'orphan crops' do to address the nutrition gap? October 14, 2015. https: //www.ecobusin ess.com/news/what-can-nearly-12000-orphan-crops -do-to-address-the-nutrition-gap/.

Ekepu D. et al. (2017). Assessing farmer involvement in collective action for enhancing the sorghum value chain in Soroti, Uganda. *South African Journal of Agricultural Extension*, 45 (1).

Ekesa B.N. (2017). Selected superfoods and their derived super diets. In: Superfood and functional food—the development of superfoods and their roles as medicine. *Croatia: IntechOpen*, p. 95–114. https://doi.org/10.5772/67239.

El Bilali H. (2020). Organic food and farming in West Africa: A systematic review. *Journal of Sustainable and Organic Agricultural Systems*, 70 (2): 94–102. DOI: 10.3220/LBF1611507579000.

El Bilali H. (2021). Climate change–food security nexus in Burkina Faso. *CAB Reviews,* 16: 009. DOI: 10.1079/PAVSNNR202116009.

El Bilali H. (2024). State and contours of research on roselle (Hibiscus sabdariffa L.) in Africa. Open Agriculture 9 (1): 20220336. https://doi.org/10.1515/opag-2022-0336.

El Bilali H. et al. (2023). Neglected and underutilised species (NUS): An analysis of strengths, weaknesses, opportunities and threats (SWOT). *AGROFOR International Journal*, 8 (1): 19-29. DOI: 10.7251/AGRENG2301019E.

El Bilali H. et al. (2022). Agro-biodiversity in national pathways for food system transformation: Case of West Africa. *Book of Abstracts of the XIII International Scientific Agriculture Symposium "AGROSYM 2022*", 06 – 09 October 2022, East Sarajevo (Bosnia and Herzegovina). P. 649.

El Bilali H. et al. (2023). Assessment of the sustainability of neglected and underutilised crop species: SUSTLIVES approach. *AGROFOR International Journal*, 8 (2): 12-23.

El Bilali H. et al. (2024). Transition framework for neglected and underutilized crop species. *AGROFOR International Journal*, 9 (1): 16-26.

El Bilali H. et al. (2023). Transition framework for neglected and underutilized crop species. Book of Abstracts of the XIV International Scientific Agriculture Symposium "AGROSYM 2023", 05 – 08 October 2023, East Sarajevo (Bosnia and Herzegovina). p. 649.

El Bilali H. et al. (2023). Sustainability transitions in West African agriculture and food systems. *Journal of Survey in Fisheries Sciences*, 10 (4): 1847-1865.

El Bilali H. et al. (2023). Orphan crops and sustainability transitions in agri-food systems: Towards a multidimensional and multilevel transition framework. Proceedings of the International Conference on Life Sciences (ICLISC-23), 24 February 2023, Accra (Ghana), pp. 42-57.

El Bilali H. et al. (2022). Sustainability of neglected and underutilised species (NUS): Towards an assessment matrix for crop species. Book of Abstracts of the XIII International Scientific Agriculture Symposium "AGROSYM 2022", 06 – 09 October 2022, East Sarajevo (Bosnia and Herzegovina). P. 650.

El Bilali H. et al. (2022). Agroecology in Burkina Faso and Niger. *AGROFOR International Journal*, 7 (2): 51-60. DOI : 10.7251/AGRENG2202051E.

El Bilali H. et al. (2022). Biodiversity – food systems nexus: unpacking linkages between biodiversity, diets and nutrition in Burkina Faso and Niger. *AGROFOR International Journal*, 7 (2): 40-50. DOI : 10.7251/AGRENG2202040E.

El Bilali H. et al. (2023). Urban and peri-urban agriculture in Burkina Faso and Niger: A bibliometric analysis. *AGROFOR International Journal*, 8 (1): 11-18. DOI: 10.7251/AGRENG2301011E.

El Bilali H. et al. (2023). Impacts of the COVID-19 pandemic on agri-food systems in West Africa. Sustainability, 15: 10643. https://doi.org/10.3390/su151310643.

El Bilali H. et al. (2024). Research on Moringa (*Moringa oleifera* Lam.) in Africa. *Plants*, 13 (12): 1613. https://doi.org/10.3390/plants13121613.

El Bilali H. et al. (2024). Mapping Research on Bambara Groundnut (*Vigna subterranea* (L.) Verdc.) in Africa: Bibliometric, Geographical, and Topical Perspectives. Agriculture 14 (9): 1541. https://doi.org/10.3390/agriculture14091541.

El Bilali H. et al. (2021). Pastoralism and biodiversity in Burkina Faso and Niger: A review. In, Capone R., Bottalico F., El Bilali H., Ottomano Palmisano G., Cardone G., Acquafredda A. (eds). Pastoralism and Sustainable Development. Options Méditerranéennes A126 ; pp. 143-149. Bari : CIHEAM (Centre International de Hautes Etudes Agronomiques Méditerranéennes). https://doi.org/10.48259/bc1960e.

El Bilali H. et al. (2025). Research on Sweet Potato (Ipomoea batatas) in West Africa: State, Features and Gaps. Agronomy, 15 (4): 766. https://doi.org/10.3390/agronomy15040766.

El Bilali H. et al. (2024). Conservation and Promotion of Neglected and Underutilized Crop Species in West Africa: Policy and Governance. Sustainability, 16 (14): 6194. https://doi.org/10.3390/su16146194.

El Bilali H. et al. (2023). Neglected and Underutilised Species (NUS): An Analysis of Strengths, Weaknesses, Opportunities and Threats (SWOT). *AGROFOR Int. J.*, 8: 9–29.

El Bilali H. et al. (2022). Neglected and underutilised species (NUS): an analysis of strengths, weaknesses, opportunities and threats (SWOT). In: Book

of Abstracts, XIII International Scientific Agriculture Symposium “AGROSYM 2022” At: East Sarajevo (Bosnia and Herzegovina). 5 p.

El Bilali H. et al. (2022). Agro-biodiversity in national pathways for food system transformation: case of West Africa. *AGROFOR International Journal,* 7 (3): 5-16. ISSN: 2490-3442.

El Bilali H. et al. (2022). Agro-Biodiversity in National Pathways for Food System Transformation: Case of West Africa. *AGROFOR Int. J*., 7: 5–16.

El Bilali H. et al. (2023). Orphan Crops and Sustainability Transitions in Agri-Food Systems: Towards a Multidimensional and Multilevel Transition Framework. In Proceedings of the International Conference on Life Sciences (ICLISC-23), Virtual, 24 February; SCITE-International Conference: Accra, Ghana; pp. 42–57.

El Bilali H. et al. (2022). Sustainability of neglected and underutilised species (NUS): Towards an assessment matrix for crop species. In: XIII International Scientific Agriculture Symposium "Agrosym 2022", Jahorina, October 06 - - fakultet, 2022. Book of Abstracts ISBN: 978-99976-987-2-8

Eyzaguirre P. et al. (1999). IPGRI’s strategy for neglected and underutilized species and the human dimension of agrobiodiversity. dans Padulosi S. (dir.). Priority setting for underutilized and neglected plant species of the Mediterranean region. Rapport de la Conférence de l’Institut international des ressources phytogénétiques (9-11 février 1998). Centre international de recherche agricole dans les zones arides, Alep (Syrie), Rome (Italie).

Fahmi M.K.M. et al. (2018). Impact of agroforestry parklands on crop yield and income generation: case study of rainfed farming in the semi-arid zone of Sudan. *Agroforestry Systems*, 92 (3): 785-800. https://doi.org/10.1007/s10457-016-0048-3.

Fanzo J. et al. (2013). Diversifying Food and Diets: using agricultural biodiversity to improve nutrition and health, Edited by Routledge.

FAO (2017). Promoting neglected and underutilized crop species. Food and Agriculture Organization (FAO), Rome. http://www.fao.org/news/story /en/item/10325 16/icode /.

FAO, FIDA, OMS, PAM et UNICEF. (2025). *Résumé de L'État de la sécurité alimentaire et de la nutrition dans le monde 2025. Lutter contre la forte inflation des prix des produits alimentaires pour améliorer la sécurité alimentaire et la nutrit*ion. Rome.

FAO. (2023). The State of Food and Agriculture 2023. Revealing the true cost of food to transform agrifood systems. Rome.

FAO. (1995). Dimensions of need: An atlas of food and agriculture. (also available at www.fao.org/docrep/u8480e/ U8480E00.htm#Dimensions of need).

FAO. (1996). The Global Plan of Action for the Conservation and Sustainable Utilization of Plant Genetic Resources for Food and Agriculture. FAO, Rome.

FAO. (1998). The state of the world's plant genetic resources for food and agriculture. Rome: Commission on Genetic Resources for Food and Agriculture, FAO.

FAO. (2012a). Neglected crops need a rethink – can help world face the food security challenges of the future. (also available at www.fao.org/news/story/en/item/166368/icode/).

FAO. (2021). The Multilateral System of Access and Benefit-sharing – Educational - Module IV (en anglais). Rome. https://openknowledge.fao.org/handle/20.500.14283/cb7984e.

FAO. (2024). Appendice I : Liste des espèces cultivées couvertes par le système multilatéral. https://www.fao.org/plant-treaty/areas-of-work/the-multilateral-system/annex1/fr/.

FAO. (2024). Compendium of forgotten foods in Africa – A companion publication for Integrating Africa's forgotten foods for better nutrition (en anglais). Accra. https://openknowledge.fao.org/handle/20.500.14283/cc5044en.

Li X. & Siddique K.H.M. (2018). Future Smart Food - Rediscovering hidden treasures of neglected and underutilized species for Zero Hunger in Asia, Bangkok, 242 pages (en anglais).

FARA, GFAR, CAADPXP4 Programme (2021). *Development of Africa Manifesto and Plan of Action on Forgotten Foods. 83 p.*

Faure G. et al. (2020). A participatory method to assess the contribution of agricultural research to societal changes in developing countries. Research Evaluation, 29 (2) : 158–170. https://doi.org/10.1093/reseval/rvz036.

Ferraro V et al. (2016). Cassava (*Manihot esculenta* Crantz) and Yam (*Dioscorea* spp.) Crops and Their Derived Foodstuffs: Safety, Security and Nutritional Value. *Crit Rev Food Sci Nutr*. 56 (16): 2714-27. doi : 10.1080/10408398.2014.922045. PMID : 26165549.

FIDA. (2012). Promouvoir les espèces négligées et sous-utilisées dans l'intérêt des marchés nationaux -Note pratiques n° 3. Fonds international de développement agricole et Bioversity International, Rome (Italie).

Filho A.M.M. et al. (2017). Quinoa: nutritional, functional, and antinutritional aspects. *Crit Rev Food Sci Nutr*. 57: 1618–30. https://doi.org/10.1080/10408398.2014.100181.

Asia-Pacific Association of Agricultural Research Institutions (APAARI). (2010). *The Suwon Agrobiodiversity Framework: The way forward for managing agrobiodiversity in the Asia-Pacific region*. Rome, Italy: APAARI, Bioversity International, Global Forum on Agricultural Research (GFAR).

FAO, Bioversity International (2012). Sustainable Diets and Biodiversity: Directions and solutions for policy, research and action. Rome, Italy: FAO, Bioversity International.

FAO. (2010). Second report on the state of the world's plant genetic resources for food and agriculture. Rome, Italy: Commission on Genetic Resources and Agriculture, FAO.

FAO. (2012). The second global plan of action for plant genetic resources for food and agriculture. Rome, Italy: Commission on Genetic Resources for Food and Agriculture, FAO.

FAO (2013). The State of Food Insecurity in the World 2013. The multiple dimensions of food security. Rome, Italy: FAO.

Forum for Agricultural Research in Africa (FARA). 2013. Science Agenda for Agriculture in Africa (S3A) Connecting Science: A science agenda for transforming agriculture in Africa. Accra, Ghana: FARA.

Fredenberg E. et al. (2024). Vision for Adapted Crops and Soils (VACS) Research in Action: Opportunity Crops for Africa. https://doi. org/10.7916/3hd1-8t86.

Freedman R.L. (2015). Indigenous wild food plants in home gardens: Improving health and income-with the assistance of agricultural extension (en anglais). International Journal of Agricultural Extension, 3 (1): 63-71.

Galluzzi G. et al. (2014). Participatory breeding in the Peruvian highlands: Opportunities and challenges for promoting conservation and sustainable use of underutilized crops. *Agriculture and Food Systems.* 2014: 1-10

Galluzzi G. et Noriega I. (2014). Conservation and Use of Genetic Resources of Underutilized Crops in the Americas—A Continental Analysis. *Sustainability*. 6: 980-1017.

Gewa C.A. et al. (2019). Mothers' beliefs about indigenous and traditional food affordability, availability and taste are significant predictors of indigenous and traditional food consumption among mothers and young children in rural Kenya. Public Health Nutrition, 22(16), 2950–2961. https://doi.org/10.1017/S1368980019001848.

Ghosh K. (2012). New opportunities for a strategic focus on farmer varieties, landraces and underutilized species. In Padulosi, S., N. Bergamini and T. Lawrence eds. On-farm conservation of neglected and underutilized species: status, trends and novel approaches to cope with climate change: Proceedings of an International Conference, Frankfurt, 14-16 June 2011. Bioversity International, Rome. pp. 271-275.

Giuliani A. et al. 2012. Biodiversity of Andean grains: balancing market potential and sustainable livelihoods. *Bioversity International, Rome*.

Gonnella M. et al. (2024). Agrobiodiversity management: exploring how the Italian experience can help promoting neglected and underutilized species in Burkina Faso and Niger. *AGROFOR International Journal*, 9 (2): 76-84. https://agrofor.ues.rs.ba/data/20241202-08_Gonnella_et_al.pdf.

Gonnella M. et al. (2024). Agrobiodiversity management: exploring how the Italian experience can help promoting neglected and underutilized species in Burkina Faso and Niger. Book of Abstracts of the XV International Scientific

Agriculture Symposium “AGROSYM 2024”, 10 – 13 October 2024, East Sarajevo (Bosnia and Herzegovina). p. 744.

Gonnella M. et al. (2025). Conserving and enhancing local agrobiodiversity: exchange between Italy and the Sahel region to save local varieties and NUS and promote sustainable food value chains. In, Book of Abstracts, 15th National Conference on Biodiversity & 2nd International Conference on Mediterranean Biodiversity “Biodiversity in the XXI century: new paradigms for new challenges”, 3-6 June 2025, Perugia (Italy). p. 176.

Gotor E. & Irungu C. (2010). The impact of Bioversity International’s African leafy vegetables programme in Kenya. *Impact Assess Project Apprais*. 28: 41–55. https://doi.org/10.3152/146155110X488817.

Gregory P-J. et al. (2019). Crops For the Future (CFF): an overview of research efforts in the adoption of underutilised species. *Planta*. https://doi.org/10.1007/s00425-019-03179-2.

Gruère G. et al. (2006). Marketing Underutilized Plant Species for the Benefit of the Poor: A Conceptual Framework. Environment and Production Technology Division. Contributed paper prepared for presentation at the International. *Association of Agricultural Economists Conference, Gold Coast, Australia*, August 12-18, 2006. 16 p.

Gruère G. et al. (2006). Marketing Underutilized Plant Species for the Benefit of the Poor: A Conceptual Framework. Document de discussion n°154. I*nstitut international de recherche sur les politiques alimentaires*.

Gundel S. et al. (2003). Underutilized Plant Species and Poverty Alleviation. Proceedings of International Workshop, Leipzig, Germany, 6-8 May 2003. Capacity Building International (InWEnt), pp. 48.

Hadebe S.T. et al. (2017). Drought tolerance and water use of cereal crops: a focus on sorghum as a food security crop in sub-Saharan Africa. *J. Agro. Crop. Sci*. 203: 177–191. doi: 10.1111/jac.12191.

El Bilali H. et al. (2022). Agro-biodiversity in national pathways for food system transformation: Case of West Africa. *AGROFOR International Journal*, 7 (3): 5-16. DOI: 10.7251/AGRENG2203005E.

El Bilali H. et al. (2022). Sustainability of neglected and underutilised species (nus): towards an assessment matrix for crop species. *AGROFOR International Journal*, 7 (3): 17-30. DOI: 10.7251/AGRENG2203017E.

Hendre P-S. et al. (2019). African orphan crops consortium (AOCC): status of developing genomic resources for African orphan crops. *Planta*. https://doi. org/10.1007/s00425-01903156-9.

Hotz C. et al. (2012). A large-scale intervention to introduce orange sweet potato in rural Mozambique increases vitamin A intake among children and women. *The British Journal of Nutrition*, 108 (1): 163–176. https://doi.org/10.1017/S0007114511005174.

International Plant Genetic Resources Institute (IPGRI), Global Facilitation Unit for Underutilized Species (GFU), M.S. Swaminathan Research Foundation (MSSRF) (2005). Agricultural biodiversity and elimination of hunger and poverty – the Chennai Platform for Action. Rome: IPGRI, GFU; Chennai, India: MSSRF.

Hughes J. (2009). Just Famine Foods? What Contributions Can Underutilized Plants Make to Food Security? *Acta Horticulturae*, 806: 39-48.

Hunter D. et al. (2019). The potential of neglected and underutilized species for improving diets and nutrition. *Planta*, 250 (3): 709-729. doi: 10.1007/s00425-019-03169-4. Epub 2019 Apr 25. PMID: 31025196.

Idowu O.O. (2009). Contribution of Neglected and Underutilized Crops to Household Food Security and Health among Rural Dwellers in Oyo State, Nigeria. *Acta Hortic*., 806 : 49–56.

International Plant Genetic Resources Institute (IPGRI). (2002a). *Neglected and Underutilized Plant Species: Strategic Action Plan of the International Plant Genetic Resources Institute*. *International Plant Genetic Resources Institute*, Rome, Italy. 27 pp.

IPGRI (2002b). Promoting fonio production in West and Central Africa through germplasm management and improvement of post-harvest technology. www.underutilized-species.org/.../fonio_rapport_final_GTZ_project1.pdf.

Jaenicke H. & Höschle-Zeledon I. (Eds). (2006). *Strategic Framework for underutilized plant species research and development, with special reference to Asia and the Pacific, and to sub-Saharan Africa*. International Centre for Underutilised Crops, Colombo, Sri Lanka and Global Facilitation Unit for Underutilized Species, Rome, Italy. 33 p.

Jaenicke H. et al. (2009). Underutilized plants for food security, nutrition, income and sustainable development. Proceedings of the international symposium held in Arusha, Tanzania, 3–7 March 2008. Acta Horticulturae 806. Leuven, Belgium: International Society for Horticultural Science.

Jahan F. et al. (2022). *Amaranthus tricolor* (red amaranth), an indigenous source of nutrients, minerals, amino acids, phytochemicals, and assessment of its antibacterial activity. *J. Agric. Food Res*. 10: 100419.

Jain S.M. & S.D. Gupta. (2013). Biotechnology of Neglected and Underutilized Crops. *Springer Science & Business Media*, Berlin (Allemagne).

Januszewska-Jozwiak K. & Synowiecki J. (2008). Characteristics and suitability of amaranth components in food biotechnology. *Biotechnologia.* 3: 89–102.

Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Vienna. (2004). Genetic improvement of under-utilized and neglected crops in low income food deficit countries through irradiation and related techniques. Proceedings of a final research coordination meeting (IAEA-TECDOC--1426). International Atomic Energy Agency (IAEA).

Joshi Bal et al. (2019). Neglected, underutilized, and future smart crop species in Nepal (en anglais). *Journal of Crop Improvement*, 34.

Joshi V. (2005). Some promising underutilized industrial crops for cultivation on wasteland India. *Natural Product Radiant,* 4 : 396-404.

Kamadi G. (2014) Plant breeders to boost Africa's indigenous crops.

Kamal H. et al. (2021). Amaranth proteins as potential source of bioactive peptides with enhanced inhibition of enzymatic markers linked with hypertension and diabetes. *J. Cereal Sci.,* 101: 103308.

Kamenya S.N. et al. (2021). Genetics and breeding for climate change in Orphan crops. Theoretical and Applied Genetics, 134 (6): 1787–1815. https://doi.org/10.1007/s00122-020-03755-1 .

Kamenya S.N. et al. (2020). Genetics and breeding for climate change in Orphan crops. Theoretical and Applied Genetics, 2020, 1-29 https://doi.org/10.1007/s00122-020-03755-1 .

Kana H.A. et al. (2012). Review On Neglected and Underutilized Root and Tuber Crops as Food Security. In Achieving The Millennium Development Goals In Nigeria. *Journal of Agriculture and Veterinary Sciences*, 4: 27-32.

Kasolo W. et al. (2028). Neglected and underutilized species (NUS) for improved food security and resilience to climate change: a contextualized learning manual for African colleges and universities. Nairobi: ANAFE.

Kasolo W. et al. (2018). « Neglected and Underutilized Species (NUS) for Improved Food Security and Resilience to Climate Change: A Contextualized Learning Manual for African Colleges and Universities », *Réseau africain pour l'éducation en agroforesterie*, Nairobi.

Keding G.B. et al. (2013). Production and processing of foods as core aspects of nutrition-sensitive agriculture and sustainable diets. *Food Security*, 5 (6): 825–846.

Kiebre Z. et al. (2025). Actes du Colloque régional sur le rôle de la biodiversité agricole et des espèces négligées et sous-utilisées (NUS) pour le développement durable et la sécurité alimentaire et nutritionnelle. Université Peleforo GON COULIBALY, Korhogo (Côte d'Ivoire), 26-28 mai 2025. Projet SUSTLIVES. Valenzano: CIHEAM Bari.

Kiebre Z. et al. (2024). Selection criteria of interest and participatory varietal selection of Bambara groundnut in Burkina Faso. Book of Abstracts of the XV International Scientific Agriculture Symposium "AGROSYM 2024", 10 – 13 October 2024, East Sarajevo (Bosnia and Herzegovina). p. 741.

Kour S. et al. (2018). Strategies on Conservation, Improvement and Utilization of Underutilized Fruit Crops. *Int. J. Curr. Microbiol. Appl. Sci*., 7: 638–650.

Kraujalis P. & Venskutonis P.R. (2013). Supercritical carbon dioxide extraction of squalene and tocopherols from amaranth and assessment of extracts antioxidant activity. *J. Supercrit. Fluids,* 80: 78–85.

Kubuga C.K. et al. (2023). Suitability and Potential Nutrient Contribution of Underutilized Foods in Community-Based Infant Foods in Northern Ghana.

APFP, FO4A, ARISE (2022). Women Ensuring Food Security and Nutrition: Forgotten Foods Cooking Contest. https://asiapacificfarmersforum.net/forgotten-foods-cooking-contest-for-women-farmers/.

Kumar A. et al. (2021). Integrating Omics and Gene Editing Tools for Rapid Improvement of Traditional Food Plants for Diversified and Sustainable Food Security. *Int J Mol Sci*., 22 (15): 80-93. doi: 10.3390/ijms22158093. PMID: 34360856; PMCID: PMC8348985.

Lamichhane G. et al. (2023). Evaluation of anti-inflammatory potential of extract, fractions and major compounds of Ponciri Fructus in LPS-induced RAW 264.7 cells. *Curr. Res. Biotechnol*., 6: 100138.

Lecci S. et al. (2024). Nurturing forgotten crops, a journey towards resilient agriculture SUSTLIVES project, Burkina Faso and Niger, in Toillier A., Guillonnet R., Dolinska A., Henriquez P., Perez M., Lima de Faria M., eds. 2024. Activating agricultural transitions to sustainability through participatory research and co-innovation. Stories of change across Africa, Asia and Latin America from the DeSIRA initiative. CIRAD, France, 76 p. : pp. 18-21. DOI: https://doi.org/10.19182/agritrop/00229.

Lefebvre L. et al. (2023). Revaloriser les cultures négligées : une solution alimentaire et climatique pour l'Afrique. IFPRI. 8 juin 2023. https://ssa.foodsecurityportal.org/fr/node/2441.

Li X. & Siddique K.H.M. (2018). Future smart food—rediscovering hidden treasures of neglected and underutilized species for zero hunger in Asia. *Food and Agriculture Organization of the United Nations Bangkok*, Rome.

Li X. et al. (2020). Neglected and Underutilized Crop Species: The Key to Improving Dietary Diversity and Fighting Hunger and Malnutrition in Asia and the Pacific. *Front Nutr*., 7: 593711. doi: 10.3389/fnut.2020.593711. PMID: 33330593; PMCID: PMC7710905.

Li X. & Siddique K.H.M. (2018). Agricultural diversification for Zero Hunger initiative: Future Smart Food. Bangkok, Thailand, FAO, https://openknowledge.fao.org/handle/20.500.14283/i8907en.

Li X. & Siddique K.H.M. (2018). Future Smart Food - Rediscovering hidden treasures of neglected and underutilized species for Zero Hunger in Asia, Bangkok, 242 pp.

Lotter D. et al. (2014). African indigenous and traditional vegetables in Tanzania: production, post-harvest management, and marketing. *Afr Crop Sci J*., 22: 181–90.

Low J.W. et al. (2007). A food-based approach introducing orange-fleshed sweet potatoes increased vitamin A intake and serum retinol concentrations in young children in rural Mozambique. *The Journal of Nutrition*, 137 (5):1320–1327. https://doi.org/10.1093/jn/137.5.1320.

Mabhaudhi T. et al. (2022). Diversity and Diversification: Ecosystem Services Derived From Underutilized Crops and Their Co-benefits for Sustainable Agricultural Landscapes and Resilient Food Systems in Africa. *Front Agron*., 4: 859223. doi: 10.3389/fagro.2022.859223. PMID: 37680880; PMCID: PMC7615041.

Mabhaudhi T. et al. (2017). Developing a roadmap for improving neglected and underutilized crops: A case study of South Africa. *Frontiers in Plant Science*, 8: 2143. PubMed PMID: 29312397. PMCID: PMC5735103.

Mabhaudhi T. et al. (2017). Status of underutilised crops in South Africa: opportunities for developing research capacity. *Sustainability*, 9: 1569. doi: 10.3390/su9091569.

Mabhaudhi T. et al. (2019). Prospects of orphan crops in climate change. *Planta,* 250 (3): 695–708. https://doi.org/10.1007/s00425-019-03129-y

Mabhaudhi T. et al. (2017). Developing a Roadmap for Improving Neglected and Underutilized Crops: A Case Study of South Africa. *Frontier in Plant Science*. 8 (2143): 1-13.

Mabhaudhi T. et al. (2016). Opportunities for Underutilised Crops in Southern Africa's Post–2015 Development Agenda. *Sustainability*, *8* (4): 302. https://doi.org/10.3390/su8040302.

Mabhaudhi T. et al. (2017). Developing a Roadmap for Improving Neglected and Underutilized Crops: A Case Study of South Africa. Front. *Plant Sci*., 8: 2143.

Mabhaudhi T. et al. (2019). Prospects of Orphan Crops in Climate Change. *Planta*, *250*: 695–708.

Mabhaudhi T. et al. (2016). Opportunities for Underutilised Crops in Southern Africa's Post–2015 Development Agenda. *Sustainability*, 8: 302.

Mal B. et al. (2010). Minor millets in South Asia: learnings from IFAD-NUS project in India and Nepal.

Maldonado-Cervantes E. et al. (2010). Amaranth lunasin-like peptide internalizes into the cell nucleus and inhibits chemical carcinogen-induced transformation of NIH-3T3 cells. *Peptide*s. 31: 1635–1642.

Mall T. (2017). Diversity of potential orphan plants in health management and climate change mitigation from Bahraich (Uttar Pradesh). *Int J Curr Res Biosci Plant Biol.,* 4: 106–45.

Massawe F. et al. (2015). The potential for underutilised crops to improve food security in the face of climate change. *Proc. Environ. Sci*., 29 : 140–141. doi:10.1016/j.proenv.

Massawe F. et al. (2025). The potential for underutilized crops to improve food security in the face of climate change. *Procedia Environmental Sciences*, 29: 140-141.

Mayes S. et al., (2012). The potential for underutilized crops to improve security of food production. *Journal of Experimental Botany*, 63:1075-1079.

Mayes S. et al. (2019). Bambara groundnut: an exemplar underutilised legume for resilience under climate change. *Planta*, 250: 803-820. https://doi.org/10.1007/s00425-019-03191-6.

Nnamani C.V. et al. (2010) Aspect of Ethnobotany of Traditional Leafy Vegetables Utilized as Human Food in Rural Tropical Communities. *Animal Research International*, 7:1110-1115.

Mazorra-Carrillo J.L. et al. (2022). Proteomic analysis of chemically transformed NIH-3T3 cells reveals novel mechanisms of action of amaranth lunasin-like peptide. *Food Res. Int***.,** 157: 111374.

Mbhenyane X.G. (2017). Indigenous foods and their contribution to nutrient requirements. *South African Journal of Clinical Nutrition,* 30: 5–7.

Mbosso C. et al. (2020). Fonio and Bambara Groundnut Value Chains in Mali: Issues, Needs, and Opportunities for Their Sustainable Promotion. Sustainability, 12: 4766.

McDaniel M.D. et al. (2014). Does agricultural crop diversity enhance soil microbial biomass and organic matter dynamics? A meta-analysis. *Ecological Applications*, 24 (3): 560-570.

McMillan K. et al. (Eds.). (2022). Acceptability of nutritious children's foods developed for markets in Sierra Leone. A*frican Journal of Food, Agriculture, Nutrition and Development*.

McMullin S. et al. (2019). Developing fruit tree portfolios that link agriculture more effectively with nutrition and health: A new approach for providing year-round micronutrients to smallholder farmers. *Food Security*, 11 (6): 1355–1372. https://doi.org/10.1007/s12571-019-00970-7.

McMullin S. et al. (2021). Determining appropriate interventions to mainstream nutritious orphan crops into African food systems. *Global Food Security*, 28: 100465. https://doi.org/10.1016/j.gfs.2020.100465.

Modi M. (2006) Potential role for wild vegetables in household food security: A preliminary case study in Kwazulu-Natal, South Africa. *African Journal of Food and Agriculture and Nutritional Development*, 6: 1–13.

Moronta J. et al. (2016). Peptides of amaranth were targeted as containing sequences with potential anti-inflammatory properties. *J. Funct. Foods*, 21: 463–473.

MSSRF. (2002). Enlarging the contributions of nutritious neglected crops to food security and to income of the rural poor. Asia Component. Nutritious Millets (IFAD, IPGRI, MSSRF). Summary Proceedings of the Inception Workshop, MSSRF, pp. 24-25 Jan 2002.

Mudgil P. et al. (2019). Multi-functional bioactive properties of intact and enzymatically hydrolysed quinoa and amaranth proteins. *LWT,* 110: 207–213.

Mwangi S. & Kimathi M. (2006). African leafy vegetables evolve from underutilized species to commercial cash crops. Research Workshop on Collective Action and Market Access for Smallholder. Cali, Colombia, 2-5 October 2006.

Naino Jika A. et al. (2023). Custodian farmers of Bambara groundnut and sorrel seeds in Mossi area of Burkina Faso: profile, diversity and conservation methods. Book of Abstracts of the XIV International Scientific Agriculture

Symposium “AGROSYM 2023”, 05 – 08 October 2023, East Sarajevo (Bosnia and Herzegovina). p. 161.

Naino Jika A. et al. (2023). Traditional agrobiodiversity management practices by cereal and cowpea custodian farmers in Mossi area of Burkina Faso. Book of Abstracts of the XIV International Scientific Agriculture Symposium “AGROSYM 2023”, 05 – 08 October 2023, East Sarajevo (Bosnia and Herzegovina). p. 162.

Nath V. et al. (2008). Fruits for The Future, Volume 1: Well Versed Arid and Semi-Arid Fruits. p. 512. Satish Serial Publishing House, New Delhi.

Nath V. et al. (2009). Fruits for The Future, Volume 2: Lesser Known Tropical and Sub-Tropical Fruits. p. 530.Satish Serial Publishing House, New Delhi.

Noorani A. et al. 2015. Promoting neglected and underutilized species through policies and legal frameworks. in: De Ron, Antonio M. (ed.) EUCARPIA International Symposium on Protein Crops: V Meeting AEL. AEL. Pontevedra. pp. 107-111.

Nora Scarcelli et al. (2019). Yam genomics supports West Africa as a Major cradle of crop domestication. *Science Advances* 01 May 2019, 5 (5): eaaw1947.

Notaro V. et. (2017). Policy Analysis to Promote Conservation and Use of Small Millet Underutilized Species in India. *Int. J. Agric. Sustain*., 15: 393–405.

NRC (1996). Lost crops of Africa: grains. National Research Council (NRC), vol 1. National Academy Press, Washington, DC.

NRC (2006). Lost Crops of Africa: vegetables. National Research Council (NRC), vol 2. National Academies Press, Washington, DC.

NRC (2008). Lost crops of Africa: fruits. National Research Council (NRC), vol 3. *National Academies Press*, Washington, DC.

Nyadanu D. et al. (2016). Agro-biodiversity and challenges of on-farm conservation: the case of plant genetic resources of neglected and underutilized crop species in Ghana. *Genetic Resources and Crop Evolution*, 63 (8): 1397-1409.

Ojuederie O.B. et al. (2024). Editorial: Neglected and underutilized crop species for sustainable food and nutritional security: prospects and hidden potential. *Front Plant Sci*. 14: 1358220. doi: 10.3389/fpls.2023.1358220. PMID: 38264018; PMCID: PMC10803604.

Okigbo R.N. & Ugwu C.S. (2021). Neglected crops of Africa. *International Journal of Agricultural Technology,* 17 (6): 2197-2210.

Olagunju A.I. et al. (2024). High-protein, low glycemic index snack from optimized blend of three wholegrains exhibits nutraceutical quality and elicits low glycemic response in diabetic human subjects. *Food Prod. Process. Nutr*., 6: 32.

Olayemi F.F. et al. (2022). *Quality Characteristics and Benefits of Neglected Crops in Nigeria.* Kwara State, Nigeria. Nigerian Stored Products Research Institute. February, 2022. 44 p.

Omami E.N. Responses of amaranth to salinity stress. 2007. http://hdl.handle.net/2263/26640.

Ontiveros N. et al. (2020). Amaranth-hydrolyzate enriched cookies reduce the systolic blood pressure in spontaneously hypertensive rats. *J. Funct. Foods*., 64: 103613.

Organisation des Nations Unies pour l'alimentation et l'agriculture (FAO) et Union européenne (UE). « Guide pour mesurer la diversité alimentaire au niveau du ménage et de l'individu », 2010, http://www.fao.org/3/i1983f/i1983f.pdf.

Organisation des Nations Unies pour l'alimentation et l'agriculture (FAO). « Agriculture sensible aux enjeux nutritionnels », fiche d'information publiée à l'occasion de la deuxième Conférence internationale sur la nutrition, novembre 2014, http://www.fao.org/3/as601f/as601f.pdf.

Oumarou Haladou I. et al. (2024). Caractérisation des chaînes de valeur et des marchés des cultures négligées et sous-utilisées à l'Ouest du Niger : cas de patate douce, manioc, moringa, gombo, oseille et voandzou. *International Journal of Biological and Chemical Sciences*, 18 (2): 614-632.

Padhan B. & Panda D. (2020). Potential of Neglected and Underutilized Yams (*Dioscorea* spp.) for Improving Nutritional Security and Health Benefits. *Front Pharmacol.,* 11 : 496. Doi : 10.3389/fphar.2020.00496. PMID : 32390842 ; PMCID : PMC7193077.

Padulosi S. et al. (2014). A Holistic Approach to Enhance the Use of Neglected and Underutilized Species: The Case of Andean Grains in Bolivia and Peru. *Sustainability*, 6:1283-1312; doi:10.3390/su6031283.

Padulosi S. et al. (2011). Underutilized Species and Climate Change: Current Status and Outlook. In Shyam Singh Yadavand al., (dir.). « Crop Adaptation to Climate Change », 1re édition, John Wiley & Sons, Ltd., Blackwell Publishing Ltd.: 507-521.

Padulosi S. et al. (2011). Underutilized species and climate change: current status and outlook. Crop adaptation to climate change, 1st edn. Wiley, New York, 507-521.

Padulosi S. et al. (2015). Minor millets as a central element for sustainably enhanced incomes, empowerment, and nutrition in rural India. *Sustainability*, 7: (7): 8904-8933.

Padulosi S. et al. (2019). Supporting Nutrition Sensitive Agriculture through Neglected and Underutilized Species - Cadre opérationnel. *Bioversity International and IFAD*, Rome, Italy. 42 pp.

Padulosi S. et al. (2013). Fighting Poverty, Hunger and Malnutrition with Neglected and Underutilized Species (NUS): Needs, Challenges and the Way Forward; Bioversity International: Rome, Italy.

Padulosi S. & Irmgard H. (2004). Underutilized plant species: what are they? Leisa magazine. p.5-6. (also available at http://edepot.wur.nl/89925).

Padulosi S. (2017). Bring NUS back on the table. *GREAT Insights*, 6 (4): 21–22.

Padulosi S. (1999b). Criteria for priority setting in initiatives dealing with underutilized crops in Europe. pp. 236-247 in Implementation of the Global Plan of Action in Europe – Conservation and Sustainable Utilization of Plant Genetic Resources for Food and Agriculture. T. Gass, F. Frese, E. Begemann and E. Lipman, eds., Proceedings of the European Symposium, 30 June-3 July 1998, Braunschweig, Germany. International Plant Genetic Resources Institute, Rome p. 396.

Padulosi S. et al. (2009). Food security and climate change: Role of plant genetic resources of minor millets. *Indian J. Plant Genet. Resour*., 22: 1–16.

Padulosi S. et al. (2014). A Holistic Approach to Enhance the Use of Neglected and Underutilized Species: The case of Andean Grains in Bolivia and Peru. *Sustainability*, 6: 1283-1312.

Padulosi S. et al. (2013). Fighting poverty, hunger and malnutrition with neglected and underutilized species (NUS): needs, challenges and the way forward. *Bioversity International*, Rome.

Padulosi S. et al. (2011). Underutilized Species and Climate Change: Current Status and Outlook. In Crop Adaptation to Climate Change. Edited by Shyam S.

Yadav, Robert J. Redden, Jerry L. Hatfield, Hermann Lotze-Campen and Anthony E. Hall (Eds). John Wiley & Sons, Ltd. p.507-520.

Padulosi S. et al. (2013). Experiences and lessons learned in the framework of a global UN efort in support of neglected and underutilized species. *Acta Horticulturae*, 979: 517-53.

Padulosi S. & G. Meldrum (2017). « Native African crops: Key assets in support of the Malabo Business Plan », Bioversity International.

Padulosi S. & Hoeschle-Zeledon I. (2004). Underutilized plant species: what are they? LeisaLeusden, 20: 5–6.

Padulosi S. et al. (2009). Food security and climate change: Role of plant genetic resources of minor millets. *Indian J. Plant Genet.Resour*., 22: 1–16.

Padulosi S. et al. (2015). « Minor millets as a central element for sustainably enhanced incomes, empowerment, and nutrition in rural India », *Sustainability*, 7 (7): 8904-8933.

Padulosi S. et al. (2012). On farm conservation of neglected and underutilized species: status, trends and novel approaches to cope with climate change: Proceedings of an International Conference, Frankfurt, 14-16 June, 2011.

Padulosi S. et al. (1999). Challenges and strategies in promoting conservation and use of underutilized and neglected species. pp. 140-145 in Perspective on New Crops and New Uses, J. Janick, ed., Proceedings of the Fourth National Symposium on New Crops and New Uses. Biodiversity and Agricultural Sustainability, 8-11 November 1998, Phoenix, Arizona. ASHS Press. Alexandria, VA.

Padulosi S. et al. (2011). Underutilized species and climate change: current status and outlook. S. S. Yadav, R. J. Redden, J. L. Hatfeld, H. Lotze-Campen,

A. E. Hall, eds. Crop adaptation to climate change, First Edition. Hoboken, NJ: John Wiley and Sons.

Padulosi S. et al. (2006). Underutilized crops: trends, challenges and opportunities in the 21st Century. Proceedings of the Conference on Moringa and other nutritious plant resources: strategies, standards and markers for better impact on nutrition in Africa. Accra, Ghana, 16-18 November 2006.

Padulosi S. et al. (2002). Underutilized crops: trends, challenges and opportunities in the 21st Century. In: "Managing plant genetic resources" J. M. M. Engels et al. Eds. pp.323-338.

Padulosi S. et al. (2008). Minor crops and underutilized species: lessons and prospects In: N. Maxted, B. V. Ford-Lloyd, S. P. Kell, J.M. Iriondo, M. E. Dulloo, J. Turok eds. Crop wild relatives, conservation and use. Wallingford, UK. CAB International.

Padulosi S. et al. (2013). *Marketing Underutilized Species: The Strategy of Bioversity International. Presentation at 3rd International Conference on Neglected and Underutilized Species*. September 25–September 27, Accra, Ghana. Rome, Italy: Bioversity International.

Padulosi S. et al. (2014). « A Holistic Approach to Enhance the Use of Neglected and Underutilized Species: The Case of Andean Grains in Bolivia and Peru », *Sustainability*, 6: 1283-1312.

Padulosi S. et al. (2018). « Soutenir une agriculture axée sur la nutrition grâce aux espèces négligées et sous-utilisées », Bioversity International, 2019. Peña, I. et J. Garrett, « Chaînes de valeur et enjeu nutritionnel – Guide pour la conception de projets », FIDA.

Padulosi S. et al. (2013). Fighting poverty, hunger and malnutrition with neglected and underutilized species (NUS): needs, challenges and the way forward. Bioversity International, Rome, PP 60.

Padulosi S. et al. (2011). « Underutilized Species and Climate Change: Current Status and Outlook », dans S. S. Yadav, R. J. Redden, J. L. Hatfield, A. E. Hall et H. Lotze-Campen, Crop Adaptation to Climate Change, première édition, John Wiley & Sons, Blackwell Publishing Ltd, p. 507-521.

Padulosi S. et al. (2021). Orphan crops for sustainable food and nutrition security: Promoting neglected and underutilized species. Issues in Agricultural Biodiversity. London (UK) : Routledge 424 p. ISBN : 9780367902827.

Pareek O.P. & Sharma S. (2009a). Underutilized Fruits and Nuts Vol-1. Diversity and Utilization and Fruits of Tropical and Temperate Region. Aavishkar Publishers and Distributors.

Pareek O.P. & Sharma S. (2009b). Underutilized Fruits and Nuts Vol-2. Fruits of Tropical Region. Aavishkar Publishers and Distributors. p. 342.

Pareek O.P. et al. (1998). Underutilized Edible Fruits and Nuts: An Inventory of Genetic Resources in their Regions of Diversity. IPGRI Ofce for South Asia, New Delhi. pp. 235.

Parihar M. et al. (2021). Reviving the forgotten food network of potential crops to strengthen nutritional and livelihood security in North Western Himalayas. *Indian J Agron*., 66: S44–59.

Pereira L. et al. (2022). Leveraging the potential of wild food for healthy, sustainable, and equitable local food systems : learning from a transformation lab in the Western Cape region. Sustainability Science. https://link.springer.com/article/10.1007/s11625-022-01182-3.

Pili B. et al. (2010). Interaction of a new anticancer prodrug, gemcitabine–squalene, with a model membrane: Coupled DSC and XRD study. *Biochim. Biophys. Acta (BBA)-Biomembr*., 1798: 1522–1532.

Popoola J. et al. (2020) Neglected and underutilized legume crops: improvement and future prospects. London: IntechOpen; 2020.

Popoola J. et al. (1992). Neglected and Underutilized Legume Crops: Improvement and Future Prospects. Recent Advances in Grain Crops Research Pp. 1-22. DOI: http://dx.doi.org/10.5772/intechopen.87069 .

Popoola O.O. (2022). Phenolic compounds composition and in vitro antioxidant activity of Nigerian *Amaranthus* viridis seed as affected by autoclaving and germination. *Meas. Food*. 6, 100028.

Proches S. et al. (2008). Plant Diversity in the Human Diet: Weak phylogenetic signal indicates breadth. *BioScience,* 58 (2): 151–159.

Pudasaini N. (2021). Six farmer's varieties of neglected and underutilized crop species officially registered in Nepal. https://himalayancrops.org/2021/06/01/six-farmers-varieties-of-neglected-and-underutilized-crop-species-officiallyregistered-in-nepal/.

Rajamani K. et al. (2021). Squalene deters drivers of RCC disease progression beyond VHL status. *Cell Biol. Toxicol*., 37: 611–631.

Ravi S.B. (2004). Neglected millets that save the poor from starvation, LEISA, India, 6 (1): 34-36.

Ravi S.B. et al. (2010). Mobilizing neglected and underutilized crops to strengthen food security and alleviate poverty in India. *Indian J. Plant Genet. Resour*., 23 (1): 110-116, M. S. Swaminathan Research Foundation.

Rehm S. & Espig G. (1991). The cultivated plants of the tropics and sub-tropics (translated by G. McNamara and C. Ernsting). Verlay Josef Margraf, Germany, viii + p. 552.

Remans R. et al. (2014). « Measuring nutritional diversity of national food supplies », *Global Food Security*, 3: 174-182.

Ribaut J-M. & Ragot M. (2019). Modernising breeding for orphan crops: tools, methodologies, and beyond. *Planta*. https://doi.org/10.1007/ s00425-019-03200 8.

Rojas W. et al. (2009). « From neglect to limelight: Issues, methods and approaches in enhancing sustainable conservation and use of Andean grains in Bolivia and Peru », *Journal of Agriculture and Rural Development in the Tropics and Subtropics Supplement*, 92.

Rokka S. et al. (2025). Current policies for promoting neglected and underutilized crop species in Burkina Faso and Niger. *International Journal of Agricultural Sustainability*, 23 (1): 2459541. https://doi.org/10.1080/14735903.2025.2459541.

Rosenzweig C. et al. (2021). Overview of AgMIP Regional Integrated Assessment. In Handbook of Climate Change and Agroecosystems (1–2, pp. 3–13). WORLD SCIENTIFIC (EUROPE). https://www.worldscientific.com/ doi/abs/10.1142/9781786348791_0001.

Rutto L.K. et al. (2016). Genetic Vulnerability and Crop Loss: The Case for Research on Underutilized and Alternative Crops. *Mathematical Sciences with Multidisciplinary Applications*, pp. 465-479. Springer International Publishing.

Sabbione A.C. et al. (2024). Amaranth fber acts as fermentable substrate for children's fecal microbiota. *Bioact. Carbohydr. Diet*. *Fibre*, 32: 100447.

Sandoval-Sicairos E.S. (2021). Anti-inflammatory and antioxidant effects of peptides released from germinated amaranth during in vitro simulated gastrointestinal digestion. *Food Chem.*, 343:128394.

Sayed-Ahmad B. et al. (2022). Amaranth oilseed composition and cosmetic applications. *Separations*, 9: 181.

Schippers R. (2002). African indigenous vegetables: an overview of the cultivated species 2002. http://r4d.dfid.gov.uk/Output/179575/.

Secrétariat du Traité international sur les ressources phytogénétiques pour l'alimentation et l'agriculture (TIRPAA). 2022.

Shafreen R.B. et al. (2019). Binding and potential antibioflm activities of Amaranthus proteins against Candida albicans. *Colloids Surf. B Biointerfaces,* 183: 110479.

Sharif M.S.M. et al. (2016). The importance of knowledge transmission and its relation towards the Malay traditional food practice continuity. *Procedia - Social and Behavioral Sciences*, 222: 567-577.

Sharma B.R. (1993). Okra: Abelmoschus spp., Editor(s): G. KALLOO, B.O. BERGH, Genetic Improvement of Vegetable Crops, Pergamon, 751-769.

Sheikh S.A. & Sumaira J. (2007). Exploring The Economic Value of Underutilized Plant Species. In Ayubia National Park. *Pakistan Journal of Botany*, 5:1435-1442.

Siddique K.H.M. et al. (2021). Rediscovering Asia's forgotten crops to fight chronic and hidden hunger. *Nat Plants*, 7 (2): 116-122. doi: 10.1038/s41477-021-00850-z. Epub 2021 Feb 15. PMID: 33594263.

Silva-Sánchez C. et al. (2008). Bioactive peptides in amaranth (*Amaranthus hypochondriacus*) seed. J. *Agric. Food Chem*., 56 : 1233–1240.

Simardeep Kaur et al. (2025). Resurrecting forgotten crops: Food-based products from potential underutilized crops a path to nutritional security and diversity. *Future Foods* 11. February 2025. 17p.

Simbare A. et al. (2023). Banana seed systems in rural low resource communities: Community training manual. 35 p.

Soliman G.A. (2019). Dietary fber, atherosclerosis, and cardiovascular disease. *Nutrients*, 11: 1155.

Sprent J. et al. (2010). African legumes: a vital but under-utilized resource. *Journal of Experimental Botany*, 61:1257-1265.

Stamp P. et al. (2012). Competitive underutilized crops will depend on the state funding of breeding programmes: an opinion on the example of Europe. *Plant breeding*, 131 (4): 461-464.

Succurro A. et al. (2019). Orphan crops at the food for future conference. Planta (in press) Sood S, Joshi DC, Chandra AK, Tadele Z (ed) (2009a) New approaches to plant breeding of orphan crops in Africa.

SUSTLIVES (2023). Analyse des Politiques et des Cadres Règlementaires Actuels Concernant les Espèces Négligées et Sous-Utilisées (NUS) au Burkina Faso et au Niger; Ouagadougou (Burkina Faso) & Valenzano: Bari, Italie.

Tadele Z. (ed) (2009). New approaches to plant breeding of orphan crops in Africa. Stämpfli AG, Bern.

Tadele Z. (2009). Role of orphan crops in enhancing and diversifying food production in Africa. *Afr Technol Dev Forum J*., 6 (3/4): 9–15.

Tadele Z. (2019). Orphan crops: Their importance and the urgency of improvement. *Planta*, 250 (3): 677–694. https://doi.org/10.1007/s00425-019-03210-6.

Tadele Z. (ed.) (2009). New Approaches to Plant Breeding of Orphan Crops in Africa: Proceedings of an International Conference, 19-21 September 2007, Bern, Switzerland.

Tadele Z. & Assefa K. (2012). Increasing food production in Africa by boosting the productivity of understudied crops. *Agronomy,* 2 (4): 240–283.

Taniya M. et al. (2020). Bioactive peptides from amaranth seed protein hydrolysates induced apoptosis and antimigratory effects in breast cancer cells. *Food Biosci*., 35: 100588.

Tarhan I. (2021). A new and rapid analysis method for the most important herbal squalene source: Comparison of UV–visible, fluorescence, and FTIR techniques for the quantification of squalene in amaranth seed oil. *Microchem. J*., 168: 106446.

Tarri Aliou M. et al. (2024). Assessment of the sustainability of selected neglected and underutilised crop species in Niger. Book of Abstracts of the XV International Scientific Agriculture Symposium "AGROSYM 2024", 10 – 13 October 2024, East Sarajevo (Bosnia and Herzegovina). p. 745.

Tatewaki N. et al. (2016). Squalene inhibits ATM-dependent signaling in γIR-induced DNA damage response through induction of Wip1 phosphatase. *PLoS ONE*., 11: e0147570.

Temu A. et al. (2016). Guide de curriculum sur les espèces négligées et Sous-utilisées : combattre la faim et la malnutrition avec de nouvelles espèces. Le Réseau Africain pour l'Education sur l'Agriculture, l'Agroforesterie et la Gestion des Ressources Naturelles, Nairobi, Kenya et Bioversity International, Rome, Italie.

Massawe F. et al. (2013). Proceedings of the second international symposium on underutilized plant species: Crops for the future – beyond food security. Kuala Lumpur, Malaysia, June 27–July 1 2011.

Tibi A. et al. (2022). Protéger les cultures en augmentant la diversité végétale des espaces agricoles. Synthèse du rapport d'ESCo. INRAE (France), 86 p.

Tognoli F. et al. (2024). Manuel pratique pour initier les enfants à la connaissance de l'importance des NUS au Burkina Faso. Manuel de l'enseignant. 68 p. Rome (Italy) Association Watinoma et Bioversity International ISBN : 978-92-9255-326-5. https://hdl.handle.net/10568/152237

Tondé W.H. et al. (2023). Genetic Diversity, Importance and Prospects for Varietal Improvement of Sweet Grain Sorghum in Burkina Faso. *International Journal of Zoology and Applied Biosciences*, 8 (1): 44-52, https://doi.org/10.55126/ijzab.2023.v08.i01.007.

Ulian T. et al. (2020). Unlocking Plant Resources to Support Food Security and Promote Sustainable Agriculture. *Plants People Planet*, 2: 421–445.

Van Zonneveld M. et al. (2023). Forgotten food crops in sub-Saharan Africa for healthy diets in a changing climate. *Proceedings of the National Academy of Sciences*, 120 (14): e2205794120. https://doi.org/10.1073/pnas.2205794120.

Velarde-Salcedo A.J. et al. (2013). In vitro inhibition of dipeptidyl peptidase IV by peptides derived from the hydrolysis of amaranth (*Amaranthus hypochondriacus* L.) proteins. *Food Chem*., 136: 758–764.

Vialatte A. et al. (2025). Protecting crops with plant diversity: Agroecological promises, socioeconomic lock-in, and political levers. *One Earth*, 8, https://doi.org/10.1016/j.oneear.2025.101309.

Virginia U.S.A. (2013). American Institute of Biological Sciences. World Health Organization (WHO). Obesity and overweight. Fact sheet N°311. Updated March 2013. Geneva, Switzerland: WHO.

Vorster H.J. et al. (2008). Production systems of traditional leafy vegetables: Challenges for research and extension. *South Africa Journal of Agricultural Extension*, 37: 85–96.

Wejnerowska G. et al. (2013). Separation of squalene and oil from *Amaranthus* seeds by supercritical carbon dioxide. *Sep. Purif. Technol*., 110: 39–43.

Weller S.C. et al. (2014). « Sustainable production for more resilient food production systems: case study of African indigenous vegetables in eastern Africa », XXIX International Horticultural Congress on Horticulture: Sustaining Lives, Livelihoods and Landscapes (IHC2014), article no 1102, août 2014, p. 289-298.

Will M. (2008). « Promoting Value Chains of Neglected and Underutilized Species for Pro-Poor Growth and Biodiversity Conservation. Guidelines and Good Practices », Global Facilitation Unit for Underutilized Species, Rome (Italie).

Williams J.T. & Haq, N. (2002). Global Research on underutilized crops; an assessment of current activities and proposals for enhanced cooperation. Southampton, UK: International Centre for Underutilized Crops. (also available at http://bit.ly/17Qhbaw).

Williams J.T. & Haq N. (2000). *Global Research on Underutilized Crops: Assessment of Current Activities and Proposals for Enhanced Cooperation*. International Centre for Underutilised Crops, Southampton.

Wu T. et al. (2019). Lycopene, amaranth, and sorghum red pigments counteract obesity and modulate the gut microbiota in high-fat diet fed C57BL/6 mice. *J. Funct. Foods,* 60: 103437.

Xuan Li & Kadambot H.M. Siddique (2018). Future Smart Food: Rediscovering Hidden Treasures of Neglected and Underutilized Species for Zero Hunger in Asia. Food and Agriculture Organization of the United Nations Bangkok, https://openknowledge.fao.org/handle/20.500.14283/i8907en.

Yang Y. et al. (2021). Amaranth supplementation improves hepatic lipid dysmetabolism and modulates gut microbiota in mice fed a high-fat diet. *Foods,* 10: 1259.

Zamaratskaia G. et al. (2020). Consumption of whole grain/bran rye instead of refined wheat decrease concentrations of TNF-R2, e-selectin, and endostatin in an exploratory study in men with prostate cancer. *Clin. Nutr*., 39: 159–165.

Zambrano P. et al. (2022). Opportunities for Orphan Crops: Expected Economic Benefits from Biotechnology. *Front. Plant Sci*., 13: 825930.

Zeyneb H. et al. (2021). In vitro study of the effect of quinoa and quinoa polysaccharides on human gut microbiota. *Food Sci. Nutr.,* 9: 5735–5745.

Zhao Q. et al. (2024). Identification and molecular binding mechanism of novel pancreatic lipase and cholesterol esterase inhibitory peptides from heat-treated adzuki bean protein hydrolysates. *Food Chem*., 439: 138129.

Zhu F. (2023). Amaranth proteins and peptides: Biological properties and food uses. *Food Res. Int*., 164: 112405.